

Ultomiris (ravulizumab-cwvz)

Provider Order Form rev. 1/12/2026



PATIENT INFORMATION

Referral Status: New Referral Updated Order Order Renewal

Patient Full Name: _____ DOB: _____ Phone: _____ Gender: M F Other

Email Address: _____ Address: _____ Weight (lbs/kg): _____ Height (in): _____

NKDA Allergies: _____ Existing prior authorization? Yes, (Send a copy) No (AIC will process)

Patient Status: New to Therapy Continuing Therapy Last Treatment Date: _____ Next Due Date: _____

Patient Preferred Location:

DIAGNOSIS & CLINICAL INFORMATION

ICD 10-Code & Description (Provide full completed code)

G70.00 Myasthenia gravis without (acute) exacerbation (gMG)
 G70.01 Myasthenia gravis with (acute) exacerbation (gMG)
 D59.3 Atypical Hemolytic Uremic Syndrome (aHUS)

D59.5 Paroxysmal Nocturnal Hem

Other: _____

REQUIRED DOCUMENTATION: Please include insurance card (front & back), all patient demographics, history & physicals, medication lists, recent lab results (CBC, CMP, TB, Hep B panel-depending on medication) , signed prescription order and recent visit notes.

Confirm that these and the required lab orders have been sent to American Infusion Care and necessary parties.

PRESCRIPTION INFORMATION

Nursing: Provide nursing care per American Infusion Care - Specialty Infusions protocols, including reaction management and post-procedure observation

Pre-Medications

Acetaminophen (Tylenol) 500mg 650mg 1000mgPO
 Cetirizine (Zyrtec) 10mgPO
 Loratadine (Claritin) 10mgPO
 Diphenhydramine (Benadryl) 25mg 50mg PO IV
 Methylprednisolone (Solu-Medrol) 40mg 125mg IV
 Other: _____ Dose: _____ Route: _____

Lab Orders

Required: Patient has had the meningococcal vaccines (both MenACWY and MenB)

Prescriber is enrolled in Ultomiris REMS program

Other: _____

Ultomiris (ravulizumab-cwvz) (Select one):

40 kg to 59 kg:

Loading Dose: 2,400 mg IV at week 0
 Maintenance Dose: 3000 mg IV at week 2 and every 8 weeks thereafter

60-99 kg:

Loading Dose: 2,700 mg IV at week 0
 Maintenance Dose: 3,300 mg IV at week 2 and every 8 weeks thereafter

100kg or greater:

Loading Dose: 3,000mg IV at week 0
 Maintenance Dose: 3,600mg IV at week 2 and every 8 weeks thereafter

Ultomiris _____ mg IV every _____ weeks

Other: _____

Post Treatment Observations: The patient is required to stay for 30 minutes following the first administration.

Refills: zero 6 months 12 months _____ (Prescription valid for one year, unless otherwise indicated)

Special Instructions: _____

PROVIDER INFORMATION

Provider Full Name: _____ Provider NPI #: _____ Specialty: _____

Practice Address: _____ City: _____ State: _____ Zip Code: _____

Contact Name: _____ Phone: _____ Fax: _____ Email: _____

Provider Name (Print)

Provider Signature

Date